

## MY GORGEOUS LIP LACQUER

14.337.02 C163

- Claims:**
- Intense color and shiny effect
  - Gliding, even and comfortable application
  - Lip contour enhancement
  - Silicone-free

PHASE	INGREDIENT	INCI NAME	SUPPLIER	%
A	Cerozo E626	Ozokerite	Baerlocher	2.00
	Cerabeil Blanche Sélection	Beeswax	Baerlocher	5.00
	Koboguard® HRPC	Hydrogenated Polycyclopentadiene (and) Polyethylene (and) Copernicia Cerifera (Carnauba) Wax (and) Tocopherol	KOBO	2.00
	Lipex® 102	Butyrospermum Parkii (Shea) Butter	AAK	20.00
	SCB Macadamia Oil	Macadamia Ternifolia Seed Oil	Southern Cross Botanicals	54.80
	Vitapherole® E-1000	Tocopherol (and) Helianthus Annuus (Sunflower) Seed Oil	VitaeNaturals	0.20
	SWT-7™ L	Isopropyl Palmitate (and) Lecithin (and) Water (and) Swertia Chirata Extract	Lucas Meyer Cosmetics	2.00
Amisol Trio™	Phospholipids (and) Glycine Soja (Soybean) Oil (and) Glycolipids (and) Glycine Soja (Soybean) Sterols	Lucas Meyer Cosmetics	4.00	
B	Covapate Unired LC3779	Ricinus Communis (Castor) Seed oil (and) CI 15850	Sensient Cosmetic Technologies	10.00

### Manufacturing Procedure:

1. Prepare A. Heat up to 85°C-90°C under slow stirring until raw materials are completely melted.
2. When the product is clear and homogeneous, decrease temperature down to 80°C.
3. At 80°C, add B into A and stir slowly until complete homogenization.
4. Decrease temperature down to 75°C under agitation without incorporating air bubbles. At 75°C, maintain the agitation a few minutes to ensure a good homogenization of the product.
5. Fill the product into packaging at 75°C.

### Formula Specifications:

Aspect: Red creamy product  
 Viscosity (Rheo ELV8, Spindle 4, 6 rpm, 3min): > 100 000 mPa.s  
 pH : Non applicable

Stability tests: 3 months at TA, 4°C and 40°C

\* = Distributed in France by Lucas Meyer Cosmetics.  
 2015 - Sample available